

15/31

Fansteel Metals

number ten tantalum place muskogee, oklahoma 74401 (918) 687-6303

June 22, 1989

National Response Center
2100 2nd Street Southwest
Room 2611
Washington, DC 20593

RE: WRITTEN RELEASE NOTIFICATION
FANSTEEL METALS - JUNE 18, 1989

Gentlemen:

This letter is to satisfy the requirement of a written notification be submitted in accordance with PL99-499 (Sara Title III, Section 304) to cover a release of hazardous materials.

Attached is a copy of the release notification that includes the information that was provided at the time of the initial notification.

Response actions taken were as follows:

- 1) Notified proper agencies
 - a) National Response Center
 - b) State Response Commission
 - c) Muskogee Local Emergency Committee
- 2) Built dams necessary to contain spill material
 - a) northwest corner of pond 3, immediate spill area
 - b) built a dam near the outfall near french drain
- 3) Took periodic river water samples from upstream and downstream of outfall
- 4) Treated, as necessary, with the following materials:
 - a) Caustic soda
 - b) Potassium Hydroxide
 - c) Pebble quick lime
 - d) Hydrate lime
- 5) Set up schedule for visual monitoring of the spill area to insure there is no increase in flow rate or additional seepage of material.




195857

- 6) Met with the following agencies on June 20, 1989, to discuss future actions to be taken:
 - a) D. Blair Spitzberg, Health Physicist
United States Nuclear Regulatory Commission
 - b) Pete J. Garcia, Jr., Project Manager
United States Nuclear Regulatory Commission
 - c) Raymond O. Gonzales, Project Manager
United States Nuclear Regulatory Commission
 - d) Paul H. Brown, Director
Radiation Protection Division
 - e) J.C. Shutler, Supervisor, Environment Health Section
Muskogee County Health Department
- 7) There are no known or anticipated chronic health risks associated with the release
- 8) There are no known requirements for medical attention for exposed individuals.

Sincerely,

FANSTEEL METALS


Donna Gilstrap
Manager - Plant Services

DLG/tlb

Enclosure

cc: D. Blair Spitzberg, Health Physicist
US Nuclear Regulatory Commission
Brad Smythe, Muskogee Local Emergency
Planning Committee
T.S. Carlile, Jr.
✓ Guy Scenter

RELEASE NOTIFICATION
(Appendix 9 to Annex P)

ANY KNOWN OR ANTICIPATED ACUTE OR CHRONIC HEALTH RISKS ASSOCIATED WITH THIS RELEASE? No

18/31

WAS ANY MEDICAL ADVICE OR TREATMENT DEEMED NECESSARY FOR ANY
EXPOSED INDIVIDUALS? No

PRECAUTIONS THAT NEED TO BE TAKEN: None

ADDITIONAL INFORMATION: None

NOTE: MUST NOTIFY NATIONAL RESPONSE CENTER, IN WRITING, IN
ACCORDANCE WITH PL 99-499, (SARA), TITLE iii, SEC. 304,
SHALL:

- (1) Updated information included in the initial
notice, and provide information on:
- (2) Actual response actions taken;
- (3) Any known or anticipated data or chronic health
risks associated with the release;
- (4) Advice regarding medical attention necessary for
exposed individuals.

THE APPROPRIATE LOCAL AGENCY TO RECEIVE WRITTEN
NOTIFICATION IS:

MUSKOGEE COUNTY LOCAL EMERGENCY PLANNING COMMITTEE
P O BOX 2274
MUSKOGEE, OK 74402-2274
PHONE: (918) 682-2551

Receiver: R V Thomas 682-8667 Date: 6/18 Time: 3:20 pm

STATE RESPONSE COMMISSION: (405) 521-2481 John Dahill 2:55 pm
NATIONAL RESPONSE CENTER (NRC): (800) 424-8802 Petty Officer Sandra
2:45 pm

PLEASE NOTE: THE ABOVE INFORMATION SHALL, ALSO, BE
FORWARDED TO THE STATE RESPONSE COMMISSION